

1100 State Road, Ashtabula, Ohio 44004

Phone: (440) 997-6131 • Fax: (440) 992-2904

EPA Region 5 Records Ctr.



361477

March 11, 2008

Keith R. Buell
Detrex Corp.
1100 State Rd.
Ashtabula, Ohio 44004

Ms. Terese Van Donsel
U.S. EPA
Office of Superfund, Region 5
SR-6J
77 West Jackson Blvd.
Chicago, Il. 60604-3590

Dear Ms. Van Donsel,

Enclosed please find the e-DMR report for February 2008 for Detrex Corp. in Ashtabula, Ohio.

I certify that the information contained in or accompanying this submission is true, accurate and complete. This certification is based on my personal preparation, review, or analysis of the submission, and/or supervision of persons who, acting on my direct instructions, made the verification that the submitted information is true, accurate and complete.

NOTE:

The attached e-DMR report is the new report from the Ohio EPA that is replacing the Swimware MOR report.

Sincerely,



Keith R. Buell
Detrex Corp.
440-997-6131
kbuell@elcocorp.com

Ohio EPA - Daily Discharge Monitoring Report - Form 4500

FACILITY: Detrex Corp Chemicals Div *
LOCATION: 1100 State Rd
 Ashtabula, 44004
COUNTY: Ashtabula
DISTRICT: NEDO

PERMIT NUMBER: 31F00017*MD
STATION CODE: 002
MONITORING PERIOD : 2008-02-01 To: 2008-02-29
REPORTING LAB: Precision Analytical, Inc.
ANALYST: DR, WSS, RLG, STB, TR
NO DISCHARGE INDICATOR:

PARAMETER	Water Temperature	Flow Rate	pH, Maximum	pH, Minimum	Biochemical Oxygen Demand, 5 Day	Residue, Total Dissolved	Total Suspended Solids
PARAMETER CODE	00010	50050	61941	61942	00310	00515	00530
UNITS	4102	4108	6653	6653	4106	4106	4106
FREQUENCY	1/Day	1/Day	1/Day	1/Day	1/Week	1/Week	1/Week
SAMPLING TYPE	Maximum Indicating Thermometer	24hr Total	Continuous	Continuous	24hr Composite	24hr Composite	24hr Composite
2008-02-01	3.0	0.557	8.5	8.2	5.0	340	AA 6.0
2008-02-02	3.0	0.280	8.2	8.0			
2008-02-03	3.0	0.200	8.1	8.0			
2008-02-04	3.0	0.315	8.1	7.7			
2008-02-05	6.0	0.560	7.8	8.0			
2008-02-06	8.0	0.565	8.0	8.1			
2008-02-07	6.0	0.562	8.1	8.1			
2008-02-08	6.0	0.527	8.1	8.1	AA 2.0	182	AA 6.0
2008-02-09	4.0	0.432	8.1	8.1			
2008-02-10	3.0	0.267	8.0	8.2			
2008-02-11	3.0	0.350	8.1	8.0			
2008-02-12	3.0	0.519	8.0	7.9			
2008-02-13	4.0	0.545	8.1	7.9			
2008-02-14	4.0	0.386	8.0	7.9			
2008-02-15	4.0	0.295	8.0	7.9	3.5	204	AA 6.0
2008-02-16	3.0	0.167	8.0	8.0			
2008-02-17	4.0	0.209	8.0	7.7			
2008-02-18	3.0	0.544	8.1	7.7			
2008-02-19	3.0	0.589	8.1	8.0			
2008-02-20	6.0	0.607	8.0	8.0			
2008-02-21	8.0	0.572	8.0	7.9			
2008-02-22	8.0	0.413	8.0	7.9	3.5	276	AA 6.0
2008-02-23	3.0	0.368	8.0	7.0			
2008-02-24	3.0	0.365	8.0	8.0			
2008-02-25	4.0	0.361	8.0	7.9			
2008-02-26	6.0	0.521	8.0	7.7			
2008-02-27	8.0	0.475	8.0	7.9			
2008-02-28	8.0	0.465	8.0	7.9			
2008-02-29	7.0	0.439	8.0	7.9	3.0	268	AA 6.0

Name/Title of Responsible Official or Authorized Representative 	I certify under the penalty of law that I have personally examined and am familiar with the information submitted herein and based on my inquiry of those individuals immediately responsible for obtaining the information, I believe the submitted information is true, accurate and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment.	Signature of Responsible Official or Authorized Representative 	Date (MM/DD/YY) 03/11/08

When completed may this report to: EDMR Administrator, EDMR Administrator, , OH,

Page 1

Ohio EPA - Daily Discharge Monitoring Report - Form 4500

FACILITY: Detrex Corp Chemicals Div *
LOCATION: 1100 State Rd

PERMIT NUMBER: 31F00017*MD
STATION CODE: 002

COUNTY: • Ashtabula, 44004
 DISTRICT: Ashtabula
 NEDO

MONITORING PERIOD: 2008-02-01 To: 2008-02-29
 REPORTING LAB: Precision Analytical, Inc.
 ANALYST: DR, WSS, RLG, STB, TR
 NO DISCHARGE INDICATOR:

PARAMETER	Oil and Grease, Total	Phosphorus, Total (P)	Silver, Total Recoverable	Strontium, Total (Sr)	Zinc, Total Recoverable	Cadmium, Total Recoverable	Copper, Total Recoverable
PARAMETER CODE	00550	00665	01079	01082	01094	01113	01119
UNITS	4106	4106	4107	4107	4107	4107	4107
FREQUENCY	1/Week	1/Week	1/Week	1/Week	1/Week	1/Week	1/Week
SAMPLING TYPE	Grab	24hr Composite	24hr Composite	24hr Composite	24hr Composite	24hr Composite	24hr Composite
2008-02-01	AA 1.2	0.063	AA 1.0	232	AA 10	AA 10	AA 10
2008-02-02							
2008-02-03							
2008-02-04							
2008-02-05							
2008-02-06							
2008-02-07							
2008-02-08	AA 1.2	AA 0.05	AA 1.0	131	26.0	AA 10.0	AA 10.0
2008-02-09							
2008-02-10							
2008-02-11							
2008-02-12							
2008-02-13							
2008-02-14							
2008-02-15	AA 1.18	0.058	AA 1.0	288	12.5	AA 10.0	AA 10.0
2008-02-16							
2008-02-17							
2008-02-18							
2008-02-19							
2008-02-20							
2008-02-21							
2008-02-22	AA 1.18	AA 0.05	AA 1.0	175	10.2	AA 10.0	AA 10.0
2008-02-23							
2008-02-24							
2008-02-25							
2008-02-26							
2008-02-27							
2008-02-28							
2008-02-29	AA 1.18	AA 0.05	AA 1.0	170	AA 10.0	AA 10.0	AA 10.0



Name/Title of Responsible Official or Authorized Representative <i>KEITH BOETTCHER</i>	I certify under the penalty of law that I have personally examined and am familiar with the information submitted herein and based on my inquiry of those individuals immediately responsible for obtaining the information, I believe the submitted information is true, accurate and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment.	Signature of Responsible Official or Authorized Representative <i>Keith Boettcher</i>	Date (MM/DD/YY) <i>03/11/08</i>
		When completed, mail this report to: EDMR Administrator, EDMR Administrator, , OH,	

Ohio EPA - Daily Discharge Monitoring Report - Form 4500

FACILITY: Detrex Corp Chemicals Div *
LOCATION: 1100 State Rd
 Ashtabula, 44004
COUNTY: Ashtabula
DISTRICT: NEDO

PERMIT NUMBER: 31F00017*MD
STATION CODE: 002
MONITORING PERIOD : 2008-02-01 To: 2008-02-29
REPORTING LAB: Precision Analytical, Inc.
ANALYST: DR, WSS, RLG, STB, TR
NO DISCHARGE INDICATOR:

PARAMETER	Chlorine, Total Residual	Cyanide, Free	Mercury, Total (Low Level)				
PARAMETER CODE	50060	00719	50092				
UNITS	4106	4106	24258381				
FREQUENCY	1/Week	1/Month	1/Month				
SAMPLING TYPE	Grab	Grab	Grab				
2008-02-01	AA 0.01	AA 0.02	AA 0.5				
2008-02-02							
2008-02-03							
2008-02-04							
2008-02-05							
2008-02-06							
2008-02-07							
2008-02-08	AA 0.01						
2008-02-09							
2008-02-10							
2008-02-11							
2008-02-12							
2008-02-13							
2008-02-14							
2008-02-15	AA 0.01						
2008-02-16							
2008-02-17							
2008-02-18							
2008-02-19							
2008-02-20							
2008-02-21							
2008-02-22	AA 0.01						
2008-02-23							
2008-02-24							
2008-02-25							
2008-02-26							
2008-02-27							
2008-02-28							
2008-02-29	AA 0.01						

Name/Title of Responsible Official or Authorized Representative 	I certify under the penalty of law that I have personally examined and am familiar with the information submitted herein and based on my inquiry of those individuals immediately responsible for obtaining the information, I believe the submitted information is true, accurate and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment.	Signature of Responsible Official or Authorized Representative	Date (MM/DD/YY)
			03/11/08

When completed mail this report to: EDMR Administrator, EDMR Administrator, , OH,

Page 3

Ohio EPA - Daily Discharge Monitoring Report - Form 4500



FACILITY: Detrex Corp Chemicals Div *
LOCATION: 1100 State Rd
 Ashtabula, 44004

PERMIT NUMBER: 31F00017*MD
STATION CODE: 588
MONITORING PERIOD : 2008-02-01 To: 2008-02-29

COUNTY: Ashtabula
DISTRICT: NEDO

REPORTING LAB:
ANALYST:
NO DISCHARGE INDICATOR: AL

PARAMETER	Sludge Solids, Percent Total	Sludge Volume, Gallons				
PARAMETER CODE	70318	80991				
UNITS	4112	24258389				
FREQUENCY	When Disch.	When Disch.				
SAMPLING TYPE	Grab	Total				
2008-02-01						
2008-02-02						
2008-02-03						
2008-02-04						
2008-02-05						
2008-02-06						
2008-02-07						
2008-02-08						
2008-02-09						
2008-02-10						
2008-02-11						
2008-02-12						
2008-02-13						
2008-02-14						
2008-02-15						
2008-02-16						
2008-02-17						
2008-02-18						
2008-02-19						
2008-02-20						
2008-02-21						
2008-02-22						
2008-02-23						
2008-02-24						
2008-02-25						
2008-02-26						
2008-02-27						
2008-02-28						
2008-02-29						

Name/Title of Responsible Official or Authorized Representative 	I certify under the penalty of law that I have personally examined and am familiar with the information submitted herein and based on my inquiry of those individuals immediately responsible for obtaining the information, I believe the submitted information is true, accurate and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment.	Signature of Responsible Official or Authorized Representative	Date (MM/DD/YY)
			03/11/08



When completed mail this report to: EDMR Administrator, EDMR Administrator, , , OH,

Ohio EPA - Daily Discharge Monitoring Report - Form 4500

FACILITY: Detrex Corp Chemicals Div *
LOCATION: 1100 State Rd
 Ashtabula, 44004
COUNTY: Ashtabula
DISTRICT: NEDO

PERMIT NUMBER: 31F00017*MD
STATION CODE: 601
MONITORING PERIOD: 2008-02-01 To: 2008-02-29
REPORTING LAB: Precision Analytical, Inc.
ANALYST: WSS, BSS, DR, DC
NO DISCHARGE INDICATOR:

PARAMETER	Flow Rate	Color, Severity	Odor, Severity	Turbidity, Severity	pH	Total Suspended Solids	Nitrogen, Ammonia (NH3)
PARAMETER CODE	00056	00083	01330	01350	00400	00530	00610
UNITS	4109	4105	4105	4105	6653	4106	4106
FREQUENCY	1/Day	1/Day	1/Day	1/Day	1/Month	1/Month	1/Month
SAMPLING TYPE	24hr Total Estimate	Estimate	Estimate	Estimate	Grab	Grab	Grab
2008-02-01	774	1	1	1	6.50	AA 6.0	0.131
2008-02-02	44	1	1	1			
2008-02-03	AC	AC	AC	AC			
2008-02-04	463	1	1	1			
2008-02-05	1161	1	1	1			
2008-02-06	1436	1	1	1			
2008-02-07	794	1	1	1			
2008-02-08	687	1	1	1			
2008-02-09	89	1	1	1			
2008-02-10	AC	AC	AC	AC			
2008-02-11	AC	AC	AC	AC			
2008-02-12	AC	AC	AC	AC			
2008-02-13	595	1	1	1			
2008-02-14	1135	1	1	1			
2008-02-15	787	1	1	1			
2008-02-16	92	1	1	1			
2008-02-17	AC	AC	AC	AC			
2008-02-18	895	1	1	1			
2008-02-19	799	1	1	1			
2008-02-20	970	1	1	1			
2008-02-21	838	1	1	1			
2008-02-22	836	1	1	1			
2008-02-23	88	1	1	1			
2008-02-24	AC	AC	AC	AC			
2008-02-25	775	1	1	1			
2008-02-26	849	1	1	1			
2008-02-27	790	1	1	1			
2008-02-28	841	1	1	1			
2008-02-29	731	1	1	1			

Name/Title of Responsible Official or Authorized Representative 	I certify under the penalty of law that I have personally examined and am familiar with the information submitted herein and based on my inquiry of those individuals immediately responsible for obtaining the information, I believe the submitted information is true, accurate and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment.	Signature of Responsible Official or Authorized Representative 	Date (MM/DD/YY) 03/11/08
		When completed mail this report to: EDMR Administrator, EDMR Administrator, , OH,	

Page 5

Ohio EPA - Daily Discharge Monitoring Report - Form 4500

FACILITY: Detrex Corp Chemicals Div *
LOCATION: 1100 State Rd
 Ashtabula, 44004

PERMIT NUMBER: 31F00017*MD
STATION CODE: 601
MONITORING PERIOD: 2008-02-01 To: 2008-02-29

COUNTY:
DISTRICT:

Ashtabula
NEDO

REPORTING LAB:
ANALYST:
NO DISCHARGE INDICATOR:

Precision Analytical, Inc.
WSS, BSS, DR, DC

PARAMETER	CBOD 5 day						
PARAMETER CODE	80082						
UNITS	4106						
FREQUENCY	1/Month						
SAMPLING TYPE	Grab						
2008-02-01	2.0						
2008-02-02							
2008-02-03							
2008-02-04							
2008-02-05							
2008-02-06							
2008-02-07							
2008-02-08							
2008-02-09							
2008-02-10							
2008-02-11							
2008-02-12							
2008-02-13							
2008-02-14							
2008-02-15							
2008-02-16							
2008-02-17							
2008-02-18							
2008-02-19							
2008-02-20							
2008-02-21							
2008-02-22							
2008-02-23							
2008-02-24							
2008-02-25							
2008-02-26							
2008-02-27							
2008-02-28							
2008-02-29							

Name/Title of Responsible Official or Authorized Representative	I certify under the penalty of law that I have personally examined and am familiar with the information submitted herein and based on my inquiry of those individuals immediately responsible for obtaining the information, I believe the submitted information is true, accurate and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment.	Signature of Responsible Official or Authorized Representative	Date (MM/DD/YY)
		<i>Keith Bull</i>	03/11/08

When completed mail this report to: EDMR Administrator, EDMR Administrator, , , OH,

Ohio EPA - Daily Discharge Monitoring Report - Form 4500

FACILITY: Detrex Corp Chemicals Div *
LOCATION: 1100 State Rd
 Ashtabula, 44004
COUNTY: Ashtabula
DISTRICT: NEDO

PERMIT NUMBER: 31F00017*MD
STATION CODE: 602
MONITORING PERIOD : 2008-02-01 To: 2008-02-29
REPORTING LAB: Precision Analytical, Inc.
ANALYST: AC
NO DISCHARGE INDICATOR:

PARAMETER	pH	Flow Rate	Chloroform	Methylene Chloride	1,1-Dichloroethylene	1,1,1-Trichloroethane	1,1,2-Trichloroethane
PARAMETER CODE	00400	50050	32106	34423	34501	34506	34511
UNITS	6653	4108	4107	4107	4107	4107	4107
FREQUENCY	1/Day	1/Day	1/Month	1/Month	1/Month	1/Month	1/Month
SAMPLING TYPE	Grab	24hr Total	Grab	Grab	Grab	Grab	Grab
2008-02-01	8.1	0.269	AA 1.0	AA 4.0	AA 1.0	AA 1.0	AA 1.0
2008-02-02	7.9	0.083					
2008-02-03	AC	AC					
2008-02-04	7.1	0.021					
2008-02-05	7.6	0.258					
2008-02-06	7.8	0.248					
2008-02-07	8.0	0.245					
2008-02-08	8.0	0.247					
2008-02-09	7.9	0.255					
2008-02-10	7.9	0.125					
2008-02-11	AC	AC					
2008-02-12	7.7	0.138					
2008-02-13	7.9	0.200					
2008-02-14	AC	AC					
2008-02-15	AC	AC					
2008-02-16	AC	AC					
2008-02-17	7.2	0.029					
2008-02-18	7.6	0.226					
2008-02-19	7.8	0.258					
2008-02-20	7.7	0.250					
2008-02-21	7.7	0.179					
2008-02-22	AC	AC					
2008-02-23	AC	AC					
2008-02-24	AC	AC					
2008-02-25	AC	AC					
2008-02-26	7.2	0.149					
2008-02-27	7.3	0.019					
2008-02-28	AC	AC					
2008-02-29	AC	AC					

Name/Title of Responsible Official
or Authorized Representative

I certify under the penalty of law that I have personally examined and am familiar with the information submitted herein and based on my inquiry of those individuals immediately responsible for obtaining the information, I believe the submitted information is true, accurate and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment.

Signature of Responsible
Official or Authorized
Representative

Date (MM/DD/YY)

Keith Bull

Keith Bull

03/11/08

When completed mail this report to: EDMR Administrator, EDMR Administrator, , OH,

Page 7

Ohio EPA - Daily Discharge Monitoring Report - Form 4500

FACILITY: Detrex Corp Chemicals Div *
LOCATION: 1100 State Rd
 Ashtabula, 44004

PERMIT NUMBER: 31F00017*MD
STATION CODE: 602
MONITORING PERIOD : 2008-02-01 To: 2008-02-29



COUNTY:
DISTRICT:

Ashtabula
NEDO

REPORTING LAB:
ANALYST:
NO DISCHARGE INDICATOR:

Precision Analytical, Inc.
AC

PARAMETER	1,1,2,2-Tetrachloroethane	1,3-Dichlorobenzene	Trichloroethylene				
PARAMETER CODE	34516	34566	39180				
UNITS	4107	4107	4107				
FREQUENCY	1/Month	1/Month	1/Month				
SAMPLING TYPE	Grab	Grab	Grab				
2008-02-01	AA 1.0	AA 1.0	AA 1.0				
2008-02-02							
2008-02-03							
2008-02-04							
2008-02-05							
2008-02-06							
2008-02-07							
2008-02-08							
2008-02-09							
2008-02-10							
2008-02-11							
2008-02-12							
2008-02-13							
2008-02-14							
2008-02-15							
2008-02-16							
2008-02-17							
2008-02-18							
2008-02-19							
2008-02-20							
2008-02-21							
2008-02-22							
2008-02-23							
2008-02-24							
2008-02-25							
2008-02-26							
2008-02-27							
2008-02-28							
2008-02-29							

Name/Title of Responsible Official or Authorized Representative 	I certify under the penalty of law that I have personally examined and am familiar with the information submitted herein and based on my inquiry of those individuals immediately responsible for obtaining the information, I believe the submitted information is true, accurate and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment.	Signature of Responsible Official or Authorized Representative	Date (MM/DD/YY)
			03/11/08

When completed mail this report to: EDMR Administrator, EDMR Administrator, , OH,

Ohio EPA - Daily Discharge Monitoring Report - Form 4500

FACILITY: Detrex Corp Chemicals Div *
LOCATION: 1100 State Rd
 Ashtabula, 44004
COUNTY: Ashtabula
DISTRICT: NEDO

PERMIT NUMBER: 31F00017*MD
STATION CODE: 800
MONITORING PERIOD : 2008-02-01 To: 2008-02-29
REPORTING LAB: Precision Analytical, Inc.
 DR, WSS, TR, STB
ANALYST:
NO DISCHARGE INDICATOR:

PARAMETER	Flow Rate	Total Suspended Solids	Oil and Grease, Total	Mercury, Total (Low Level)			
PARAMETER CODE	50050	00530	00550	50092			
UNITS	4108	4106	4106	24258381			
FREQUENCY	1/Day	1/Week	1/Week	1/Month			
SAMPLING TYPE	Continuous	24hr Composite	Grab	Grab			
2008-02-01	0.338	AA 6.0	AA 1.2	AA 0.5			
2008-02-02	0.120						
2008-02-03	0.122						
2008-02-04	0.242						
2008-02-05	0.323						
2008-02-06	0.369						
2008-02-07	0.371						
2008-02-08	0.307	8.0	AA 1.2				
2008-02-09	0.120						
2008-02-10	0.101						
2008-02-11	0.240						
2008-02-12	0.291						
2008-02-13	0.398						
2008-02-14	0.342						
2008-02-15	0.222	AA 6.0	AA 1.18				
2008-02-16	0.120						
2008-02-17	0.122						
2008-02-18	0.298						
2008-02-19	0.413						
2008-02-20	0.464						
2008-02-21	0.484						
2008-02-22	0.389	AA 6.0	AA 1.18				
2008-02-23	0.327						
2008-02-24	0.324						
2008-02-25	0.319						
2008-02-26	0.421						
2008-02-27	0.468						
2008-02-28	0.472						
2008-02-29	0.447	AA 6.0	AA 1.18				

Name/Title of Responsible Official or Authorized Representative

I certify under the penalty of law that I have personally examined and am familiar with the information submitted herein and based on my inquiry of those individuals immediately responsible for obtaining the information, I believe the submitted information is true, accurate and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment.

Signature of Responsible Official or Authorized Representative

Date (MM/DD/YY)

Keith Buell

Keith Buell

03/11/08

When completed mail this report to: EDMR Administrator, EDMR Administrator, , OH,

Page 9

Ohio EPA - Daily Discharge Monitoring Report - Form 4500

FACILITY: Detrex Corp Chemicals Div *
LOCATION: 1100 State Rd
Ashiabula, 44004

PERMIT NUMBER: **31F00017*MD**
MONITORING PERIOD : 2008-02-01 To: 2008-02-29

PARAMETER COMMENTS:

Station Code	Parameter Name	Parameter Code	Date	Unit	Comment
--------------	----------------	----------------	------	------	---------